

Stage №1.

Type: Long.

Targets: 14 IPSC Targets, 1 IPSC Poppers, 3 IPSC Metal Plate.


Rounds to be Scored: 32.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №1.



Stage №2.

Type: Long.

Targets: 13 IPSC Targets, 6 IPSC Poppers.


Rounds to be Scored: 32.

Start position: standing on the mark(A or B), facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №2.



Stage №3.

Type: Medium.

Targets: 10 IPSC Targets, 4 IPSC Poppers.


Rounds to be Scored: 24.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №3.



Stage №4.

Type: Short.

Targets: 3 IPSC Targets, 3 IPSC Poppers, 3 IPSC Metal Plate.

Rounds to be Scored: 12.


Start position: standing on the mark, facing downrange, as shown.

Gun condition: On table. Chamber and magwell empty.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №4.



Stage №5.

Type: Medium.

Targets: 9 IPSC Targets, 5 IPSC Poppers, 1 IPSC Metal Plate


Rounds to be Scored: 24.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area. Moving targets activates with nearest popper and remain visible at rest.

Start: audible signal.

Scheme №5.



Stage №6.

Type: Short.

Targets: 5 IPSC Targets, 1 IPSC Metal Plate, 1 IPSC Poppers.

Rounds to be Scored: 12.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №6.



Stage №7.

Type: Short.

Targets: 3 IPSC Targets, 6 IPSC Metal Plate.


Rounds to be Scored: 12.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №7.



Stage №8.

Type: Medium.

Targets: 10 IPSC Targets, 3 IPSC Metal Plate.


Rounds to be Scored: 23.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №8.



Stage №9.

Type: Medium.

Targets: 9 IPSC Targets, 5 IPSC Popper, 1 IPSC Metal Plate.


Rounds to be Scored: 24.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №9.



Stage №10.

Type: Medium.

Targets: 9 IPSC Targets, 5 IPSC Metal Plate, 1 IPSC Popper


Rounds to be Scored: 24.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №10.



Stage №11.

Type: Short.

Targets: 5 IPSC Targets, 2 IPSC Popper.

Rounds to be Scored: 12.


Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area, strong hand only.

Start: audible signal.

Safety angles: 180 degrees

Scheme №11.



Stage №12.

Type: Short.

Targets: 4 IPSC Targets, 2 IPSC Popper, 2 IPSC Metal Plates.


Rounds to be Scored: 12.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №12.



Stage №13.

Type: Short.

Targets: 5 IPSC Targets, 2 IPSC Poppers.

Rounds to be Scored: 12.


Start position: standing on the mark (A or B), facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area. Moving targets activates with nearest popper and remain visible at rest.

Start: audible signal.

Safety angles: 180 degrees.

Scheme №13.



Stage №14.

Type: Medium.

Targets: 10 IPSC Targets, 4 IPSC Metal Plates.

Rounds to be Scored: 24.

Start position: standing on the mark, facing downrange, as shown.

Procedure: after start signal engage all targets from the designated area.

Start: audible signal.

Scheme №14.

